

# Ice storage systems

## SB/NB & FOL series



Slope front bins. Insulated, inside with rounded corners, for daily turnover of ice. Easy to clean and maintain, removable gaskets. The reinforced hinges provide enhanced durability. The slope front makes access to ice as easy as possible.

From 129 kg to 478 kg storage capacity range. Compatible with any type of ice.

\*SB/NB bins are manufactured by Scotsman Ice Systems. FOL bins are manufactured by Follett.


## UBH series



Upright bins. First-in first-out concept provides a constantly fresh ice supply and high level of hygiene. Insulated, inside with rounded corner, ideal for operators with higher capacity demands for ice and longer stock periods. Sturdy enough to sustain even the largest ice makers. Front windows allow operators to always keep an eye on the product inside.

From 553 kg to 1068 kg storage capacity. Compatible with any type of ice.

## SIS & ITS series



Upright bins with integral trolleys. First-in first-out concept provides a constantly fresh ice supply and high level of hygiene. 73 kg (SIS) or 110 Kg (ITS) capacity trolleys, insulated and top-closed with lids, facilitate ice transportation. Ice falls down into trolleys gravitationally, eliminating the need of tiresome shoveling. Insulated, inside with rounded corner, for higher capacity demand for ice and longer period stock. Sturdy enough to sustain even the largest ice makers. Front windows allow operators to always keep an eye on the product inside.

From 210 kg to 759 kg storage capacity. Compatible with any type of ice.

\*SIS series ice shuttle storage bins are manufactured by Scotsman Ice Systems, ITS series bins are manufactured by Follett.

**NB 193**  
Storage capacity:  
129 kg



**Dimensions:**  
W 560 mm  
D 843 mm  
H 1045 mm

**SB 322**  
Storage capacity:  
168 kg



**Dimensions:**  
W 568 mm  
D 872 mm  
H 1271 mm

**NB 393**  
Storage capacity:  
178 kg



**Dimensions:**  
W 768 mm  
D 843 mm  
H 1045 mm

**NB 530**  
Storage capacity:  
243 kg



**Dimensions:**  
W 770 mm  
D 873 mm  
H 1268 mm

**FOL 600**  
Storage capacity:  
246 kg



**Dimensions:**  
W 1080 mm  
D 686 mm  
H 1020 mm

**FOL 950**  
Storage capacity:  
431 kg



**Dimensions:**  
W 1220 mm  
D 801 mm  
H 1270 mm

**FOL 1025**  
Storage capacity:  
467 kg



**Dimensions:**  
W 1321 mm  
D 801 mm  
H 1270 mm

## Slope front storage bins

# UBH series

**UBH 1100**  
Storage capacity:  
553 kg



**Dimensions:**  
W 1220 mm  
D 1128 mm  
H 1427 mm

**UBH 2250**  
Storage capacity:  
1068 kg



**Dimensions:**  
W 1830 mm  
D 1462 mm  
H 1285 mm

**UBH 1600**  
Storage capacity:  
812 kg



**Dimensions:**  
W 1524 mm  
D 1125 mm  
H 1731 mm

**Accessories  
carts and totes**



## Upright storage bins

# SIS series

**SIS 700**  
Storage capacity:  
318 kg + 73 kg ice cart



**Dimensions:**  
W 880 mm  
D 1265 mm  
H 1802 mm

**SIS 300**  
Storage capacity:  
137 kg + 73 kg ice cart



**Dimensions:**  
W 884 mm  
D 1025 mm  
H 1343 mm

**SIS 1350**  
Storage capacity:  
613 kg + 2x 73 kg ice carts



**Dimensions:**  
W 1748 mm  
D 1263 mm  
H 1802 mm

# ITS series

**ITS 500**  
Storage capacity:  
174 kg + 110 kg ice cart



**Dimensions:**  
W 787 mm  
D 1016 mm  
H 1524 mm

**ITS 700**  
Storage capacity:  
296 kg + 110 kg ice cart



**Dimensions:**  
W 787 mm  
D 1016 mm  
H 1905 mm

**ITS 1350**  
Storage capacity:  
602 kg + 2x 110 kg ice carts



**Dimensions:**  
W 1524 mm  
D 1016 mm  
H 1905 mm

## Ice transport systems

# Head/bin combination chart



- ✓ Perfect combination between ice-maker and bin
  - Follet 300/425/600 bins come with a generic ice cut out
  - Follet 650/950/1025 bins are custom cut to match a specific Head at point of order, bins ordered without a Head unit will come with an uncut lid
  - Ice chute cut-out performed upon installation
  - SIS & ITS Ice shuttle storage bins available, call for details
- CBT xxxxxxxxxx** additional bin top required, part number listed in chart for correct head/bin combination

HEAD	BIN	NB193	SB322	NB393	NB530	FOL 300	FOL 425	FOL 600	FOL 650	FOL 950	FOL 1025	UBH1100	UBH1600	UBH2250	SIS & ITS BINS	BIN	HEAD
	Kg/24h	129	168	178	243	136	195	246	299	431	467	553	812	1068	Various	Kg/24h	
MXG327	152	✓	✓			●	●	●							●	152	MXG327
MXG328	165	✓	✓			●	●	●							●	165	MXG328
MXG427	170	✓	✓			●	●	●							●	170	MXG427
MXG428	195	✓	✓			●	●	●							●	195	MXG428
MXG437	170			✓	✓		●	●	●						●	170	MXG437
MXG438	215			✓	✓		●	●	●						●	215	MXG438
MXG638	340			✓	✓			●	●	●					●	340	MXG638
MXG938	400			✓	✓				●	●					●	400	MXG938
NW307	190	✓	✓	CBT30EMCD	CBT30EMCD	●	●	●							●	190	NW307
NW308	160	✓	✓	CBT30EMCD	CBT30EMCD	●	●	●							●	160	NW308
NW507	210	✓	✓	CBT30EMCD	CBT30EMCD	●	●	●							●	210	NW507
NW508	215	✓	✓	CBT30EMCD	CBT30EMCD	●	●	●							●	215	NW508
NW457	220			✓	✓		●	●	●						●	220	NW457
NW458	240			✓	✓		●	●	●						●	240	NW458
NW608	320			✓	✓		●	●	●						●	320	NW608
NW1008	480			✓	✓			●	●	●	●	●	●		●	480	NW1008
NW1408	660				✓			●	●	●	●	●	●		●	660	NW1408
N0622	292	✓	✓	CBT30EFSD	CBT30EFSD				●			●			●	292	N0622
N0922	365	✓	✓	CBT30EFSD	CBT30EFSD				●			●			●	365	N0922
MFN46	270	CBT22EFCO	CBT22EFCO	CBT30EFSD	CBT30EFSD		●	●	●	●	●	●	●		●	270	MFN46
MFN56	485	CBT22EFCO	CBT22EFCO	CBT30EFSD	CBT30EFSD		●	●	●	●	●	●	●		●	485	MFN56
MFN86	2000													●	●	2000	MFN86
MFN88	2000													●	●	2000	MFN88
MF26	120	✓	✓	CBT30EFSD	CBT30EFSD	●	●								●	120	MF26
MF36	205	✓	✓	CBT30EFSD	CBT30EFSD	●	●								●	205	MF36
MF46	330	CBT22EFCO	CBT22EFCO	CBT30EFSD	CBT30EFSD	●	●	●	●	●	●	●	●		●	330	MF46
MF47	300	CBT22EFCO	CBT22EFCO	CBT30EFSD	CBT30EFSD	●	●	●	●	●	●	●	●		●	300	MF47
MF56	600	CBT22EFCO	CBT22EFCO	CBT30EFSD	CBT30EFSD	●	●	●	●	●	●	●	●		●	600	MF56
MF58	600	CBT22EFCO	CBT22EFCO	CBT30EFSD	CBT30EFSD	●			●	●	●	●	●		●	600	MF58
MF59	700	CBT22EFCO	CBT22EFCO	CBT30EFSD	CBT30EFSD	●			●	●	●	●	●		●	700	MF59
MF66	1220								●	●	●	●	●	●	●	1220	MF66
MF68	1150								●	●	●	●	●	●	●	1150	MF68
MF69	1400								●	●	●	●	●	●	●	1400	MF69
MF86/88	2400													●	●	2400	MF86/88
MAR56	426									●	●	●	●	●	●	426	MAR56
MAR76/78	570									●	●	●	●	●	●	570	MAR76/78
MAR79	540									●	●	●	●	●	●	540	MAR79
MAR106/108	785									●	●	●	●	●	●	785	MAR106/108
MAR109	720									●	●	●	●	●	●	720	MAR109
MAR126/128/129	1000									●	●	●	●	●	●	1000	MAR126/128/129
MAR206/208	1850												●	●	●	1850	MAR206/208
MAR306/308	2450												●	●	●	2450	MAR306/308

